




RX10H FULLY RUGGED TABLET FOR HEALTHCARE

- Intel® Core™ M vPro™ Processor
- Premium Thin and Light design weighs 1.2kg and 18.8mm thin
- 10.1" Full HD LumiBond® 2.0 display with Getac sunlight readable technology and capacitive touchscreen
- Getac's proprietary SnapBack add-on featuring kickstand and hand strap, smartcard reader or detachable keyboard
- Antimicrobial surface, easily sanitized and certifies to Regulations EN/IEC 60601-1



Office Dock



Snapback Add-on



Specifications

Operating System

Windows 10 Pro
Windows 7 Pro

Mobile Computing Platform

Platform Options:

Intel® Core™ M-5Y10c Processor 0.8 GHz
Max. 2.0GHz with Intel® Turbo Boost Technology
- 4MB Intel® Smart Cache

Intel® Core™ M-5Y71 vPro™ Processor 1.2 GHz
Max. 2.9GHz with Intel® Turbo Boost Technology
- 4MB Intel® Smart Cache

VGA Controller

Intel® HD Graphics 5300

Display

10.1" IPS TFT LCD FHD (1920 x 1200)
800 nits LumiBond® display with Getac sunlight readable technology
Capacitive multi-touch screen

Storage & Memory

4GB LPDDR3 expandable to 8GB
Optional OPAL 2.0 SSD 128GB / 256GB / 512GB

Keyboard

6 tablet buttons (Windows, Power, Function Key 1, Function Key 2, Barcode Reader Trigger, Volume Up, Volume Down)

Pointing Device

Touchscreen
- Capacitive multi-touch screen
- Optional dual mode touchscreen (multi-touch and digitizer)

Expansion Slot

Optional 1D/2D imager barcode reader

I/O Interface

HD webcam x 1
8M pixels auto focus rear camera x 1
Headphone out / mic-in combo x 1
DC in Jack x 1
USB 3.0 (9-pin) x 1
USB 2.0 (4-pin) x 1
Docking connector (16-pin) x 1
Micro HDMI x 1
Optional RF antenna pass-through for GPS, WLAN and WWAN

Communication Interface

Intel® Dual Band Wireless-AC 7265, 802.11ac
Bluetooth (v4.0)
Optional dedicated GPS
Optional 4G LTE mobile broadband

Security Feature

TPM 2.0
Optional Intel® vPro™ Technology
Optional fingerprint scanner or HF RFID readerⁱⁱⁱ
Optional SnapBack add-on: Hand Strap & Kick Stand & Smart Card Reader
Optional SnapBack add-on: Hand Strap & Kick Stand & Smart Card Reader & Detachable Keyboard

Power

AC adapter (65W, 100-240VAC, 50 / 60Hz)
Li-Ion battery (15.2V, 2160mAh)^{iv}
LifeSupport™ battery swappable technology
Optional High Capacity Battery with Smart Card reader Expansion (14.4V, 5800mAh)^v

Dimension (W x D x H) & Weight

280 x 245 x 18.8 mm (11" x 9.65" x 0.74")
1.2kg (2.65 lbs)^{vi}

Rugged Feature

MIL-STD-810G certified and IP65 certified
4 feet drop resistant
Vibration & drop resistant
e-Mark certified for vehicle usage
Optional ANSI/ISA 12.12.01
Optional EN/IEC 60601-1^{vi}

Environmental Specification

Temperature^{vii}:
- Operating: -21°C to 55°C / -5.8°F to 131°F
- Storage: -51°C to 71°C / -60°F to 160°F
Humidity:
- 95% RH, non-condensing

Accessories

Carry bag
Main battery (15.2V, 2160mAh)
High Capacity battery (14.4V, 5800mAh)
Multi-Bay Charger (Dual Bay)
Multi-Bay Charger (Eight Bay)
AC adapter (65W, 100-240VAC)
Vehicle adapter (90W, 11-16V DC and 22-32V DC)
Capacitive stylus
Digitizer Pen
Shoulder strap (2-point)
Hand Strap & Kick Stand
Hand Strap & Kick Stand & Smart Card Reader
Hand Strap & Kick Stand & Smart Card Reader & Detachable Keyboard
Kick Stand
Vehicle dock
Office dock
Protection film

Bumper-to-Bumper warranty

Accidents can take your equipment out of service when you least expect it, especially in a rugged environment, which can cause costly equipment downtime.

That is why Getac has introduced accidental damage as standard under our new Bumper-to-Bumper warranty, to help minimize your enterprise IT costs.

Bumper-to-Bumper is your hassle-free guarantee.

That means you can depend on us to have your unit back in service within days.

Standard

3 years Bumper-to-Bumper.

- i Bluetooth performance and connectable distance may be subject to interference with the environments and performance on client devices, users may be able to reduce effects of interference by minimizing the number of active Bluetooth wireless devices that is operating in the area.
- ii HF RFID and Fingerprint scanner are mutually exclusive options.
- iii 13.56MHz Contactless HF RFID/NFC reader (ISO 15693, 14443 A/B, Mifare and FeliCa™ compliant).
- iv Battery life testing conducted under MobileMark 2007. Battery performance will vary upon software applications, wireless settings, power management settings, LCD brightness, customized modules and environmental conditions. The battery has a limited number of charge cycles and may eventually need to be replaced by a Getac service provider. Battery life and charge cycles vary by use and settings.
- v Weight and dimensions vary from configurations and optional accessories.
- vi Medical Power Supply AC Adapter (EN/IEC 60601-1 certified) sold separately.
- vii Tested by a national independent third party test lab following MIL-STD-810G.

RX10H

Fully Rugged Tablet for Healthcare



Docking Solutions

	Vehicle Dock	Office Dock
Serial Port	1	--
External VGA	--	1
DC in Jack	1	1
USB	2	4
LAN	1	1
HDMI	--	1

Getac

GETAC TECHNOLOGY CORPORATION

5F, Building A, No. 209, Section 1, Nangang Rd.,
Nangang Dist., Taipei City, 11568, Taiwan, R.O.C.
Tel : +886 2 2785 7888
globalmarketing@getac.com | www.getac.com



Copyright © 2018 Getac Technology Corporation and/or any of its affiliates. All Rights Reserved.
Information provided herewith is for reference only,
available specification shall be subjected to quotation by request. V01M02Y18WW


RedLinx[®]
Embedded Solutions
www.redlinx.co.za